

INDEX TO VOLUME VIII.

- ACANTHIS brewsteri*, 105.
Accipiter bicolor, 161.
 cooperi, 107, 108.
 velox, 137.
Actitis hypoleucos, 16.
 macularia, 48, 77, 119, 137,
 163, 166, 295, 300, 394.
Æchmophorus occidentalis, 366.
Ægialitis collaris, 163.
 meloda, 351.
 peronii, 16.
 semipalmata, 48, 165, 190,
 236, 298, 351.
 vocifera, 76, 107, 296, 351, 394.
 wilsonia, 76, 339, 350, 351.
Æstelata caribbaea, 355.
 hæsitata, 62.
Agelaius phœniceus, 132, 138, 195,
 197.
 phœniceus bryanti, 71, 295,
 296, 334, 350, 352.
Aix sponsa, 129, 131, 137, 290, 364,
 366, 390, 391.
Ajaja ajaja, 351.
Alauda duponti, 92.
Albatross, *Wandering*, 388.
Alcedo asiatica, 10.
 coromanda, 10.
 meningting, 10.
 pileata, 10.
 Allen, F. H., summer birds of the
 Bras d'Or region of Cape Breton
 Island, Nova Scotia, 164.
 Allen, J. A., description of a new
 species of *Mimocichla*, from the
 Island of Dominica, West Indies,
 217; capture of *Geothlypis polio-*
 cephala palpebralis in Cameron
 County, Texas, 316; note on
 Mimocichla verrillorum, 317.
Allenia montana, 42, 47, 48, 49.
Amazona festiva, 160.
 leucocephala, 293.
 ochrocephala, 160.
 American Ornithologists' Union.
 Eighth Congress of, 80.
- American Ornithologists' Union
 Check-List of North American
 Birds, Third supplement to the,
 83.
Ammodramus caudacutus, 106.
 caudacutus nelsoni, 115.
 caudacutus subvirgatus, 115.
 henslowii, 146, 385.
 henslowii occidentalis, 145.
 lecontei, 50, 51, 52, 168.
 maritimus, 106, 133.
 maritimus peninsulæ, 133,
 138.
 sandwichensis savanna, 197,
 334, 338, 339.
 savannarum passerinus, 108,
 167, 296.
 savannarum perpallidus, 108.
Ampelis cedrorum, 138, 165, 166,
 294, 295, 329, 395.
 garrulus, 386.
Amphispiza belli cinerea, 86, 305.
Amydrus tristrami, 92.
Anas americana, 137, 363, 366.
 boschas, 363, 366, 390.
 carolinensis, 364, 366.
 crecca, 112.
 cyanoptera, 366.
 discors, 364, 366.
 fulvigula, 137.
 maxima, 363.
 obscura, 342, 363.
 strepera, 363.
Anhinga anhinga, 129, 137, 180.
Anhinga, 180.
Ani, 74, 293, 386.
 Groove-billed, 313.
Anorrhinus galeritus, 9, 10.
Anous stolidus, 48, 79, 358, 361.
Anser albifrons gambeli, 367.
 condoni, 367.
Anthroceros convexus, 9.
Anthus pensilvanicus, 300, 385.
Antrostomus carolinensis, 73, 135,
 138, 190.
 sp. incog., 30.

- Antrostomus vociferus*, 33.
Aquila chrysaetos, 108, 113.
 pliogryps, 368.
 sodalis, 368.
Ara ararauna, 159.
 chloroptera, 159.
 hyacinthina, 150.
 maracana, 159.
Aramides cayennensis, 163.
Aramus giganteus, 180.
Arboricola charltoni, 15.
Arboriphila charltoni, 15.
Ardea bahamensis, 78.
 candidissima, 137, 161, 351.
 cœrulea, 47, 77, 129, 130, 137, 180.
 cyanirostris, 77.
 cyanurus, 161.
 egretta, 120, 137, 161, 180, 294.
 herodias, 77, 107, 109, 165, 233, 294-297.
 leucogastra leucoprymna, 77.
 occidentalis, 107.
 paloccidentalis, 367.
 pealei, 335.
 rufescens, 77, 233, 296, 335.
 tricolor ruficollis, 71, 77, 130, 137, 233, 295, 297, 337.
 virescens, 47, 48, 129, 137, 232, 295, 350, 351.
 virescens bahamensis, 296, 335, 337, 338.
 wardi, 128, 129, 135, 137.
Ardetta neoxena, 309.
Arenaria interpres, 164, 337, 351, 352.
Argus grayi, 14.
Arsnicker, 77.
Asio wilsonianus, 108.
Asturina nitida, 161.
Attila citriniventris, 25.
 viridescens, 25.
 Audubon, J. J., notice of an edition of his 'Ornithological Biography', 230.
 Auk, Great, 174, 306, 388.
 Averill, C. K., Jr., Brünnich's Murre in Connecticut, 307.
Aythya affinis, 128, 137, 294, 296, 364.
 americana, 287, 364.
 collaris, 364.
 marila nearctica, 337, 338, 366.
 vallisneria, 364.
 BALDPATE, 363.
Bartramia longicauda, 24.
 Belding, L., notice of his 'Land Birds of the Pacific District', 104.
Bellona exilis, 47, 48.
Berlepschia rikeri, 26.
 Bird, Banana, 70.
 Egg, 361.
 Gulf, 235.
 Man-o'-war, 71, 79, 363, 387.
 Red-billed Tropic, 362.
 Tropic, 293.
 Whale, 235.
 Yellow-billed Tropic, 249, 362.
 Bittern, 151.
 American, 386.
 Black, 309.
 Brown, 309.
 Cory's, 309.
Blacus bahamensis, 72.
 brunneicapillus, 49.
 Blackbird, Bahaman Red-winged, 71.
 Brewer's, 167.
 Crow, 167.
 Red-winged, 132, 197.
 Bluebird, 128, 197, 239, 333.
 Bobolink, 352.
 Bob-white, 326, 387.
 Bolles, F., Yellow-bellied Woodpeckers and their uninvited guests, 256.
Bonasa umbellus, 326, 387, 388, 390.
 umbellus togata, 165.
 Booby, 250, 361, 363.
 Blue-faced, 363.
 Dry Land, 355.
 Red-footed, 362.
Botaurus lentiginosus, 107, 151, 166, 386.
 neoxenus, 309.
 Bowditch, B. S., the Yellowlegs (*Totanus flavipes*) breeding in Ontario County, N. Y., 394; the Turkey Vulture (*Cathartes aura*) in Ontario County, N. Y., 394; breeding of the Mourning Warbler in Ontario County, N. Y., 396.
 Bowerbird, Tooth-billed, 115.
 Brant, 342.
Branta bernicla, 342.
 canadensis, 341, 365, 367.
 hypsibatus, 367.
 propinqua, 367.
 Brewster, W., a study of Florida Gallinules with some notes on a nest found at Cambridge, Massachusetts, 1; descriptions of seven supposed new North American

- birds, 139; notes on Bachman's Warbler (*Helminthophila bachmani*), 149; the Whistling Swan in Massachusetts, 232; *Megascops asio macfarlanei*—a correction, 237.
- Brewster, W., and Chapman, F. M., notes on the birds of the lower Suwanee River, 125.
- Brimley, C. S., on the breeding habits of *Dendroica vigorsii* at Raleigh, North Carolina, 199; Bachman's Warbler (*Helminthophila bachmani*) at Raleigh, N. C., 316.
- Brothogerys tovi, 188.
 tui, 160.
 tuipara, 160.
 virescens, 160.
- Browne, F. C., Scott's Oriole in California, 238.
- Bubo blakistoni, 100.
 virginianus, 109, 368.
 virginianus subarcticus, 303.
- Bucco duvaucelii, 8.
 maculatus, 158.
 tamatia, 158.
 tectus, 158.
- Buceros convexus, 9.
 galeritus, 9.
 rhinoceros, 8.
- Bunting, Black-throated, 116.
 Indigo, 329.
- Busarellus nigricollis, 161.
- Butastur indicus, 13.
- Buteo borealis, 48, 137, 327, 350.
 borealis harlani, 88.
 brachyurus, 90.
 harlani, 88.
 latissimus, 47.
 lineatus, 129, 137.
 lineatus alleni, 240.
 pennsylvanicus, 107.
- Butler, A. W., notice of his 'Birds of Indiana', 383.
- Buzzard, 293, 327.
 Turkey, 76, 109, 129, 391.
- CAHOON, J. C., death of, 320.
- Cairina moschata, 161.
- Calcarius pictus, 51, 52, 167.
- Calidris arenaria, 119.
- Callialcyon coromanda, 10.
- Callichelidon cyaneoviridis, 70, 87, 294, 295, 334, 350, 352.
- Callipepla squamata, 389.
- Callolophus malaccensis, 7.
 mentalis, 7.
- Calorhamphus fuliginosus, 8.
 sanguinolentus, 8.
- Callothrux æneus, 345.
 robustus, 273, 345.
- Calypte helenæ, 187.
- Campephilus imperialis, 175.
 principalis, 136, 137, 174.
 principalis bairdii, 175.
- Camptolaimus labradorius, 174, 201.
- Canadian Institute, notice of ornithological notes in Transactions of, 302.
- Canvasback, 364.
- Cardinal, 127, 329.
- Cardinalis cardinalis, 107, 127, 138, 329.
- Carduelis carduelis, 314.
- Caridagrus concretus, 10.
- Carpodacus amplus, 220-222.
 cassini, 220, 222.
 mexicanus frontalis, 220, 222.
 purpureus, 302.
- Carpophaga ænea, 14.
- Catbird, 32, 66, 109, 152, 197, 333.
- Catharista atrata, 129, 137, 294.
- Cathartes aura, 76, 109, 129, 137, 161, 190, 293, 294, 298, 327, 391, 394.
- Catharus melpomene, 273.
- Cedarbird, 166.
- Celeus citrinus, 31.
 ochraceus, 31.
- Centurus blakei, 334, 350.
 nyeanus, 337.
 superciliaris, 190.
- Century Dictionary, notice of the ornithology of, 222.
- Ceophlæus lineatus, 30.
 melanoleucus, 30.
 pileatus, 95, 127, 138, 175, 245.
 tracheolopyrrhus, 30.
- Certhia bahamensis, 37.
 bartolemica, 39.
 familiaris americana, 151.
 flaveola, 38.
 martinica s. saccharivora, 40.
- Certhiola albigula, 40.
 atrata, 40.
 bahamensis, 37.
 bairdii, 37.
 bananivora, 38.
 barbadensis, 40.
 bartolemica, 39.
 caboti, 41.
 chisiæ, 38.
 chloropyga, 41.
 columbiana, 41.

- Certhiola dominicana*, 39.
 finschi, 40.
 flaveola, 38, 39.
 flaveola portoricensis, 38.
 godmani, 38.
 guianensis, 41.
 luteola, 38.
 magnirostris, 41.
 majuscula, 41.
 martinica, 40.
 mexicana, 41.
 newtoni, 39.
 peruviana, 41.
 portoricensis, 38.
 saccharina, 39.
 sancti-thomæ, 38.
 sharpei, 37.
 sundevalli, 39.
 wellsi, 40.
Ceryle alcyon, 46, 48, 75, 129, 137, 166, 294-296, 298, 327, 387.
 amazona, 158.
 americana, 158.
 superciliosa, 158.
 torquata, 158.
Chætura dominicana, 48, 60.
 dominicana colardeaui, 59.
 pelagica, 110, 135, 138, 196, 197, 327.
Chamæpelia bahamensis, 334.
Chamberlain, M., see Hagerup, A. T.
Chapman, F. M., note on *Junco hyemalis thurberi* Anthony, 115; notice of his paper on a collection of birds from British Columbia, 224; on two birds new to Louisiana, 318; former occurrence of *Spiza americana* in northern New Jersey, 395; see also Brewster, W.; also Riker, C. B.
Charadrius dominicus, 17, 107, 119, 300.
 mongolicus, 100.
 peronii, 16.
 squatarola, 76.
 veredus, 15.
 xanthochilus, 16.
Chat, Yellow-breasted, 332, 399.
Chelidon erythrogaster, 197, 352.
Chelidoptera tenebrosa, 159.
Chen hyperborea, 245, 365, 366.
Cheney, S. P., some bird songs, 32.
Cherrie, G. K., description of a new species of *Ramphocelus* from Costa Rica, 62; description of a supposed new *Myrmeciza*, 191; a preliminary list of the birds of San José, Costa Rica, 271; the Cedar Waxwing and American Dipper in Costa Rica, 395.
Chewink, 108.
Chickadee, Carolina, 333.
Chicken, Prairie, 110.
Chiroxiphia pareola, 25.
Chlorestes riccordi, 188.
Chloronerpes affinis selysi, 30.
 flavigularis, 30.
Chloropicus chlorocephalus, 30.
 mentalis, 7.
Chondestes grammacus, 52, 108, 390.
Chordeiles minor, 72, 350.
 virginianus, 225.
Chrysonotus miniatus, 7.
Chrysophlegma malaccensis, 7.
 mentalis, 7.
Chrysoptilus guttatus, 30, 31.
 punctigula, 31.
 punctigula punctipectus, 31.
 speciosus, 31.
Chrysotis leucocephalus, 188, 351.
Chuck-will's-widow, 73.
Churchill, G. B., Great Gray Owl in Worcester County, Mass., 313; European Goldfinch (*Carduelis carduelis*) breeding in Worcester County, Mass., 314.
Ciccaba myrtha, 12.
Cichlherminia bonapartii, 43.
 densirostris, 43.
 dominicensis, 44.
 fuscata, 42, 43, 48.
 fuscata densirostris, 42, 43, 46, 47, 49.
 herminieri, 43, 44, 49.
 lawrencii, 44.
 montana, 42.
 sanctæ-lucæ, 44.
Cinclocerthia ruficauda, 48, 49.
Cinclus ardesiacus, 395.
 mexicanus, 395, 397.
Cistothorus marianæ, 239, 240.
 palustris, 133, 138, 239.
 stellaris, 133, 138, 173.
Clangula hyemalis, 214, 240, 366.
Clivicola riparia, 132, 135, 138, 197.
Coccothraustes vespertinus, 386, 391.
 vespertinus montanus, 85, 391.
Coccyzus americanus, 47, 114, 320, 327, 351, 352.
 erythrophthalmus, 302.
 euleri, 159.
 lindeni, 159.

- Coccyzus minor*, 47, 48.
 minor maynardi, 75, 294, 295, 297, 336-338, 351, 394, sp.?, 165.
Cœreba atrata, 40.
 bahamensis, 37, 70, 294-298, 334-339, 350, 351.
 bananivora, 38.
 barbadensis, 40.
 bartolemica, 39, 46.
 caboti, 41.
 chloropyga, 41.
 dominicana, 39, 47-49.
 flaveola, 37, 38.
 luteola, 38.
 martinicana, 40.
 mexicana, 41.
 mexicana columbiana, 41.
 mexicana magnirostris, 41.
 mexicana peruviana, 41.
 newtoni, 39, 48.
 portoricensis, 38.
 saccharina, 39.
 sharpei, 37.
 tricolor, 40.
 wellsi, 40.
Colaptes auratus, 93, 94, 138, 195, 197, 328.
 ayresi, 93.
 cafer, 93.
 cafer saturator, 93.
 chrysoides, 94.
 hybridus, 93.
 mexicanoides, 94.
 mexicanus, 93, 94.
 ruficapileus, 93.
 submexicanus, 94.
Colburn, W. W., and Morris, R. O., notice of their 'Birds of the Connecticut Valley in Massachusetts,' 384.
Colinus cubanensis, 292, 293.
 virginianus, 47, 294, 326, 387-392.
 virginianus texanus, 389.
Colluricincla fusca, 43.
Columba ænea, 14.
 corensis, 47.
 curvirostra, 13.
 intermedia, 99.
 jambu, 14.
 leucocephala, 47, 71, 76, 295, 297.
 locutrix, 162.
 olax, 13.
 rufina, 162.
 speciosa, 161.
Columbigallina passerina, 47, 48, 76, 137, 162, 190, 293-298.
Columbigallina passerina bahamensis, 334, 336-339.
 talpacoti, 162.
Colymbus auritus, 366.
 dominicus, 337, 338, 350, 354.
 holbælli, 366.
 nigricollis californicus, 366.
Comeau, N. A., the Robin wintering at Godbout, Quebec, 317.
Compsothlypis americana, 47, 48, 67, 69, 127, 132, 138, 152-155, 295-297, 331, 335, 338, 398.
Contopus bahamensis, 294, 334-336, 350, 351.
 borealis, 105, 165.
 musicus, 89.
 pertinax, 89, 314.
 richardsonii, 145.
 richardsonii peninsulæ, 144.
 virens, 166, 328.
Conurus aureus, 160.
 carolinensis, 136, 174, 369.
 cyanopterus, 160.
 pavua, 159.
 roseifrons, 160.
Coot, 128.
Copsychus adamsi, 117.
 niger, 117.
Coracias orientalis, 11.
Cormorant, Florida, 79, 133, 233.
Corvus americanus, 103, 106, 109, 114, 165, 259, 328.
 americanus floridanus, 138.
 annectens, 368.
 corax nobilis, 306.
 corax principalis, 306.
 corax sinuatus, 245, 391.
 corax ———, 328.
 orientalis, 99.
Cory, C. B., on the West Indian species of the genus *Certhiola* or *Cœreba*, 37; notes on West Indian birds, 41; a collection of birds taken by Cyrus S. Winch in the Islands of Anguilla, Antigua, and St. Eustatius, West Indies, during April, May, June, and a part of July, 1890, 46; a list of the birds collected in the Islands of St. Croix and St. Kitts, West Indies, during March and April, and in Guadeloupe during August, September, and October, 1890, 47; a list of birds taken and observed in Cuba and the Bahama Islands, during March and April, 1891, 292; list

- of the birds collected by C. S. Winch in the Caicos Islands and Inagua, Bahamas, during January and February, and in Abaco, in March, 1891, 296; notice of his 'Birds of the Bahama Islands,' 300; capture of a fourth specimen of *Ardetta neoxena*, 309; descriptions of new birds from the Bahama Islands, with remarks on the species of *Speotyto* which occur in the West Indies, 348; list of the birds obtained by Mr. C. S. Winch on the Islands of Great Bahama and Abaco, Bahama Islands, during June, and on Eleuthera in July, 1891, 350; list of birds collected on the Island of Inagua, Bahama Islands, from May 1 to July 10, 1891, 351; on a collection of birds made on the Islands of Anguilla and Cay Sal or Salt Cay, Bahama Islands, by Mr. Cyrus S. Winch, during May, 1891, 352; an abnormal specimen of *Coccyzus maynardi*, 394; the English Sparrow (*Passer domesticus*) in Nassau, N.P., 395; another Massachusetts record for the Mockingbird, 395; note regarding the Islands of Maragana and Samana, Bahamas, 399.
- Coryllis galgulus, 12.
 Cotinga carulea, 25.
 cavana, 25.
 Coues, E., *Scenopates dentiostriis*, 115.
 Cowbird, 197, 239, 273.
 Crane, Crowned, 386.
 Sacred, 99.
 Sandhill, 308.
 Creagrus furcatus, 88, 402.
 Creeper, Black-and-white, 127.
 Brown, 151.
 Crotophaga ani, 48, 74, 159, 190, 293-298, 335, 338, 386.
 major, 159.
 sulcirostris, 313.
 Crow, 76, 103, 106, 114, 165, 259.
 American, 328.
 Rain, 74, 327.
 Crymophilus fulicarius, 113, 120, 233.
 Crypturus cinereus, 163.
 parvirostris, 163.
 pileatus, 163.
 sp. nov.?, 164.
 Cuckoo, Black-billed, 302.
 Cuckoo, Great Bahama, 74.
 Maynard's, 75.
 Yellow-billed, 114, 327.
 Cuculus chlorophæus, 11.
 telephonus, 99.
 Curlew, Eskimo, 21, 22, 24.
 Cursorius isabellinus, 15.
 Cyanocitta cristata, 259, 328.
 cristata florincola, 127, 138.
 stelleri, 397.
 Cymbilanius lineatus, 28.
 Cypseloides niger, 48.
 Cypselus phænicobius, 293, 294.
 subfurcatus, 16.
 Cyrtotes maxillaris, 346.
- DACELO concreta, 10.
 Dafila acuta, 364, 367.
 bahamensis, 296, 335.
 Davison, J. L., *Geothlypis philadelphia* breeding in western New York, 396.
 Dendragapus canadensis, 165.
 Dendrocincla castanoptera, 26.
 fuliginosa, 26.
 merula, 26.
 rufo-olivacea, 26.
 Dendrocolaptes certhia, 27.
 obsoletus, 27.
 Dendrocygna arborea, 79, 365.
 autumnalis, 365.
 discolor, 161.
 Dendroica æstiva, 166, 279.
 blackburnia, 170, 278, 398.
 cærulea, 52, 170, 238, 272, 396, 398.
 cærulescens, 68, 69, 298, 335, 337, 352, 398.
 castanea, 165, 170, 398.
 coronata, 127, 138, 152, 166, 197, 278, 278, 294-298, 334, 338.
 discolor, 47, 48, 68, 69, 73, 138, 152, 294-298, 317, 334-339, 398.
 dominica, 127, 132, 138, 152, 171, 295, 296, 298, 335, 350.
 dominica albilora, 51, 52, 116, 171.
 graciae, 314.
 ignota, 386.
 kirtlandi, 52, 53, 102, 105, 171, 295, 297, 298, 337, 338.
 maculosa, 116, 166, 170, 320, 398, 399.
 palmarum, 51, 52, 53, 68, 69, 128, 138, 152, 171, 294, 295-297, 334-339, 351.

- Dendroica palmarum hypochrysea*, 128, 138, 165, 171, 385, 396.
pensylvanica, 170, 278, 320, 327, 331, 398, 399.
petechia, 68.
petechia gundlachi, 297, 298, 335-339, 350, 351.
petechia melanoptera, 49.
pharetra, 387.
pityophila, 348.
pityophila bahamensis, 348, 350.
plumbea, 49.
ruficapilla, 47, 48.
striata, 68, 108, 119, 165, 298, 335, 351, 352.
tigrina, 48, 68, 69, 170, 294-297, 334, 335, 338, 398.
vigorsii, 68, 128, 138, 173, 199, 332, 334, 335, 350, 352.
virens, 171, 278, 300, 331, 398, 399.
Dendroplex picus, 27.
Dendroornis eytoni, 27.
fraterculus, 27.
multiguttata, 27.
susurrans, 27.
Diablotin, 59, 61.
Dichrozona zonota, 29.
Dickcissel, 168, 395.
Diomedea albatrus, 99.
exulans, 388.
Dipper, American, 395, 397.
Diver, 354.
Dolichonyx oryzivorus, 169, 300, 351, 352.
Doricha evelynæ, 73, 74, 294, 295-298, 334-339, 350, 351, 387.
lyrura, 297, 351, 387.
Dove, 309.
Ground, 76, 293.
Tobacco, 76.
Zenaida, 76.
Dryobates borealis, 128, 138.
leucotos, 99.
pubescens, 138, 262, 327.
pubescens gairdnerii, 94.
pubescens oreæcus, 94.
villosus, 94.
villosus audubonii, 94, 138, 327.
villosus harrisi, 94.
villosus hyloscopus, 94.
villosus maynardi, 75, 94, 298, 334, 335, 350.
Dryopicus leucogaster, 7.
Duck, Black, 342, 363.
Black-bellied Tree, 365.
Black-bellied Whistling, 365.
Duck, Blue Mountain, 355.
Booby, 357.
Labrador, 174, 201.
Lesser Scaup, 364.
Long-tailed, 214, 240.
Masked, 364.
Old-squaw, 214.
Pied, 215.
Quail, 364.
Red-billed Whistling, 365.
Red-head, 287.
Ring-necked, 364.
Ruddy, 117, 364.
Scaup, 128.
Tree, 79.
Wood, 129, 131, 290, 364, 390, 391.
Dutcher, W., the Labrador Duck : —a revised list of the extant specimens in North America, with some historical notes, 201.
Dwight, J., Jr., *Funco carolinensis*, shown to be a subspecies, 290.
EAGLE, Bald, 109, 327.
Golden, 108, 113.
Eastman, H. D., *Phalaropus lobatus* off Scituate, Mass., 310.
Ectopistes migratorius, 310, 390, 391.
Egret, 180.
American, 120.
Reddish, 77, 233.
Elanea martinica, 46-49.
Elanoides forficatus, 129, 131, 137.
Elliot, D. G., a list of birds from Northeast Borneo, with field notes by Mr. C. F. Adams, 7; note on *Copsychus adamsi*—correction, 117.
Empidonax acadicus, 328, 399.
flaviventris, 319, 385.
minimus, 165.
pusillus, 319.
Engyptila erythrothorax, 162.
rufaxilla, 162.
Entomobia pileata, 10.
Ereunetes pusillus, 48, 164, 351.
Erismatura rubida, 117, 364.
Eucephala carulea, 30.
Eudromias veredus, 15, 16.
Euetheia bicolor, 46-49, 71, 294-298, 334-339, 351.
lepida, 189, 293, 294.
olivacea, 189.
Eulampis holosericeus, 47, 48.
jugularis, 48.
Eupetomena macroura, 30.

- Euplocomus ignitus*, 15.
 nobilis, 15.
Eurystomus orientalis, 11.
FALCO caribbæarum, 46-48.
 columbarius, 48, 76, 272, 334, 337.
 deiroleucus, 161.
 dominicensis, 88, 113.
 indicus, 13.
 islandus, 236.
 peregrinus anatum, 237, 361.
 poliogenys, 13.
 rufigularis, 161.
 rusticolus obsoletus, 320.
 sparverioides, 88, 113, 293, 294.
 sparverius, 108, 165, 312.
 Fighter, 71, 72.
 Finch, Black, 293.
 Lark, 108.
 Seaside, 106, 133.
 Sharp-tailed, 106.
 Flamingo, 78.
 American, 365, 386.
 Red, 365.
 Flicker, 197, 328.
 Flycatcher, Acadian, 328.
 Crested, 328.
 Rufous-tailed, 72.
Formicivora grisea, 29.
 rufa, 29.
Foudia eminentissima, 92.
Fratercula pusilla, 101.
 pygmæa, 101.
Fregata aquila, 71, 79, 233, 295, 296, 337, 363, 387.
Fringilla formosa, 92.
 granatina, 92.
Fulica americana, 119, 128, 137, 335, 338, 367.
 caribæa, 46.
 minor, 367.
Furnarius minor, 26.
 pileatus, 26.
 GADWALL, 363.
Galbula cyanicollis, 158.
 rufoviridis, 158.
 viridis, 158.
Galeoscoptes carolinensis, 32, 46, 66, 109, 138, 152, 197, 294, 296, 298, 300, 333-335, 337, 338.
Galerita modesta, 92.
Gallinago delicata, 137, 165, 387-391.
 frenata, 163.
Gallinula euryzona, 16.
 galeata, 1, 46, 47, 118, 294.
 Gallinule, Florida, 1.
 Purple, 108.
Gampsonyx swainsoni, 161.
 Gannet, Common, 387.
 Cory's, 387.
 Gätke, H., notice of his 'Die Vogelwarte Helgoland,' 299.
Gavia alba, 320.
Geothlypis agilis, 54, 151, 172, 352.
 coryi, 336, 351.
 formosa, 106, 172, 332, 398.
 philadelphia, 240, 396, 398.
 poliocephala palpebralis, 316.
 rostrata, 66, 68, 335.
 rostrata tanneri, 350.
 tanneri, 69, 298, 334.
 trichas, 69, 128, 138, 189, 196, 197, 294-296, 298, 334-339, 351, 352.
Geotrygon martinica, 350.
 montana, 48, 162.
 mystacea, 47, 48.
Geranospiza caerulescens, 161.
Glaucionetta clangula americana, 165.
 islandica, 112, 366.
Glyphorhynchus cuneatus, 26.
 Gnatcatcher, 328.
 Blue-gray, 67, 127, 152.
 Golden, 78.
 Golden-eye, Barrow's, 112.
 Goldfinch, 127.
 American, 328.
 European, 314.
 Goose, Canada, 341, 365.
 Lesser Snow, 365.
 Mackerel, 235.
 Sea, 235.
 Goss, N. S., second occurrence of the White-faced Glossy Ibis (*Plegadis guarauna*) in Kansas, 112; correction, 116; notice of his 'History of the Birds of Kansas,' 228; death of, 245.
 Grackle, Boat-tailed, 132.
 Bronzed, 167.
 Purple, 197.
 Grant, J. B., notice of his 'Our common birds and how to know them,' 301.
 Grassquit, 71.
 Grebe, Pied-billed, 353.
 Grosbeak, Cardinal, 107.
 Evening, 386, 391.
 Rose-breasted, 168.
 Violet, 70.
 Grouse, Pinnated, 390.
 Ruffed, 326, 387, 388, 390.

- Grus japonensis*, 99.
 mexicana, 137, 308.
Guara alba, 130, 137.
Gull, Laughing, 80, 110, 362.
Gundlach, J., notes on some species of birds of the island of Cuba, 187.
Gymnoderus fætidus, 26.
Gymnopathys gymnops, 29.
Gyparchus papa, 161.

HABIA ludoviciana, 165, 168.
Hadrostomus minor, 25.
Hæmatopus palliatus, 76, 245, 297, 334, 351.
Hagerup, A. T., 'Birds of Greenland,' 319.
Hagerup, A. T., and Chamberlain, M., notice of their 'Birds of Greenland,' 226.
Halcyon concreta, 10.
 coromanda, 10.
 pileata, 10.
Halocyptena microsoma, 305.
Haliæetus leucocephalus, 109, 137, 165, 327.
Hargitt, E., notice of his catalogue of the Woodpeckers, 92.
Harpagus diodon, 161.
Harporthynchus rufus, 109, 127, 138, 152, 196, 197, 300, 333.
Harvie-Brown, J. A., *Falco islandus* L. in Labrador, 236.
Hasbrouck, E. M., the present status of the Ivory-billed Woodpecker (*Campephilus principalis*), 174; Acadian Owl (*Nyctala acadica*) at Washington, D. C., 313; the Carolina Paroquet (*Conurus carolinensis*), 369.
Hawk, American Sparrow, 108.
 Cooper's, 108.
 Cuban Sparrow, 293.
 Duck, 327, 361.
 Fish, 132.
 Pigeon, 76.
 Red-shouldered, 129.
 Red-tailed, 327.
 Squirrel, 327.
 Sparrow, 312.
Helinaia swainsonii, 135, 137, 138, 169, 296, 386.
Heliornis fulica, 163.
Helminthophila bachmani, 126, 127, 135, 138, 149, 316.
 celata, 127, 138, 152, 170.
 celata sordida, 87, 305.
 chrysoptera, 155, 170, 278, 331, 397, 399.

Helminthophila leucobronchialis, 318.
 peregrina, 54, 151, 170, 278, 398.
 pinus, 109, 155, 169, 318, 334, 397.
 ruficapilla, 165.
Helmitherus vermivorus, 169, 278, 316, 331, 334, 335, 387, 397, 399.
Hen, Wood, 327.
Heron, Bahama Green, 78.
 Black-crowned Night, 78.
 Great Blue, 77, 233.
 Great White, 107.
 Green, 129, 232.
 Little Blue, 77, 129, 130, 180.
 Louisiana, 71, 77, 130, 233.
 Ward's, 128, 129, 135.
 Yellow-crowned Night, 78, 132.
Hesperiphona vespertina montana, 85.
Hesperocichla nævia, 396.
Heterocercus flavivertex, 25.
Heterocnemis hypoleuca, 29.
Heterospizias meridionalis, 161.
Himantopus mexicanus, 46, 76, 163, 351.
Hirundo cyancoviridis, 87.
 fulva, 87.
Honey-creeper, Bahaman, 70.
Hornaday, W. T., notice of his 'Taxidermy and Zoölogical Collecting', 381.
Hummingbird, 257-268, 270.
 Heloise's, 88.
 Ricord's 74, 387.
 Ruby-throated, 109, 328.
Hydrochelidon nigra surinamensis, 360, 366.
Hylatomus pileatus, 95, 175.
Hypocnemis hypoleuca, 29.
 lugubris, 29.

IBIS, White, 130.
 White-faced Glossy, 112.
Icteria virens, 119, 332, 399.
Icterus galbula, 110 197.
 hypomelas 292, 293.
 maxillaris, 346.
 minor, 345.
 northropi, 66, 71, 350.
 parisorum, 237, 238.
 sericeus, 345.
 violaceus, 345.
Ictinia plumbea, 89.
Ionornis martinica, 108.

- JACANA *jacana*, 163.
 Jamison, H. K., some rookeries on the Gulf Coast of Florida, 233.
Janthænas nitens, 100.
 Jay, Blue, 127, 259, 328.
 Oregon, 397.
 Steller's 397.
 Jeffries, W. A., Phalaropes at Swampscott, Massachusetts, 112.
 Johnson, F. E., American Barn Owl (*Strix pratensis*) on Long Island, N. Y., 114; Black-throated Bunting (*Spiza americana*) on Long Island, N. Y., 116.
 Joe-ree, 329.
Junco hyemalis, 166, 197, 220-222, 291.
 hyemalis carolinensis, 290.
 hyemalis oregonus, 115.
 hyemalis shufeldti, 85, 115.
 hyemalis thurberi, 115.
 insularis, 220-222.
 ridgwaii, 86.
Junco, Ridgway's, 86.
 Shufeldt's, 85.
KETUPA javensis, 12.
 ketupa, 12.
 Killdeer, 394.
 Kingbird, 197.
 Bahama, 71.
 Gray, 72.
 Kingfisher, 129, 166.
 Belted, 75, 327, 387.
 Kinglet, Golden-crowned, 137, 197.
 Ruby-crowned, 127, 152, 166.
 Kite, Swallow-tailed, 129, 131.
 Krauss, F., death of, 120.
 LADD, Samuel B., description of the nests and eggs of *Dendroica gracia* and *Contopus pertinax*, 314.
Lamprocolius acuticaudus, 92.
Lamprosarus cabanisii, 344, 346.
 guianensis, 344, 346.
 tanagrinus, 344, 346.
Lanius ludovicianus, 106, 107, 128, 138.
 ludovicianus excubitorides, 119.
 Lark, Dusky Horned, 85.
 Prairie Horned, 56, 109, 236.
 Scorched Horned, 84.
 Shore, 110.
 Sonoran Horned, 85.
Larus argentatus, 385.
 argentatus smithsonianus, 366, 385.
Larus atricilla, 46, 48, 80, 110, 362.
 californicus, 366.
 furcatus, 88.
 oregonus, 366.
 philadelphia, 165, 300, 366.
 robustus, 366.
Lathria cinerea, 25.
 Lawrence, G. N., description of a new subspecies of Cypselidæ of the genus *Chætura*, with a note on the Diablotin, 59.
 Lawrence, R. H., a breeding place of *Pelecanus fuscus*, 231.
Leptodon cayanensis, 161.
 Lettuce-bird, 328.
 Limpkin, 180.
Lipaugus simplex, 25.
 Longspur, Smith's, 167.
 Loomis, L. M., a further review of the avian fauna of Chester County, South Carolina, 49, 166; a forgotten volume, 230; June birds of Cæsar's Head, South Carolina, 323.
 Loon, 55, 389, 392.
 Red-throated, 55.
Lophodytes cucullatus, 366.
Lophotrix cristata, 160.
Loriculus galgulus, 12.
Loxia macroura, 92.
 philippina, 92.
Loxigilla noctis, 46-49, 300.
 violacea, 70, 294, 295, 297, 298, 350, 351.
 Lucas, F. A., some bird skeletons from Guadelupe Island, 218; notice of his paper on the anatomy and history of the Great Auk, 306.
 MACKAY, G. H., the habits of the Golden Plover (*Charadrius dominicus*) in Massachusetts, 17; uncommon birds for Nantucket Island, Massachusetts, 120; the Scoters (*Oidemia americana*, *O. deglandi*, and *O. perspicillata*) in New England, 279; 'Fire-lighting', 340.
 Magpie, Black-billed, 107.
Malacoptila rufa, 158.
Malimbus nigricollis, 92.
 Mallard, 363, 390.
 Green-backed, 363.
Manacus manacus, 25.
Margarops albigularis, 42.
 densirostris, 43.
 dominicensis, 44.

- Margarops fuscatus, 42, 43, 297, 298, 337, 338, 351.
 herminieri, 43, 44.
 herminieri semperi, 44.
 montanus, 41, 42.
 montanus rufus, 42.
 sanctæ-luciæ, 44.
 Maynard, C. J., notice of his 'Contributions to Science', 385.
 Meadowlark, 197.
 Cuban, 292, 293.
 Meathawk 397.
 Megapicus validus, 7.
 Megascops asio, 266, 387.
 asio aikenii, 109, 139.
 asio bendirei, 142, 144.
 asio floridanus, 387.
 asio kennicotti, 142-144.
 asio macfarlanei, 140, 142, 144, 237.
 asio maxwelliæ, 140.
 asio saturatus, 141-144.
 aspersus, 139.
 flammeolus idahoensis, 385.
 Meiglyptes badius, 8.
 tukki, 8.
 Melanerpes carolinus, 127, 138.
 cruentatus, 31.
 erythrocephalus, 56, 138.
 formicivorus aculeatus, 88.
 formicivorus bairdi, 89, 94.
 formicivorus melanopogon, 89, 94.
 l'herminieri, 48.
 Meleagris gallopavo, 136, 137, 327, 388, 391.
 gallopavo osceola, 89.
 Melopelia leucoptera, 351.
 Melopyrrha nigra, 293.
 Melospiza fasciata, 197.
 fasciata clementæ, 86, 305.
 fasciata graminea, 86, 305.
 georgiana, 133, 138, 165.
 lincolni, 385.
 Merops amictus, 11.
 Merriam, C. H., notice of his 'Results of a biological survey of the San Francisco Mountain region and Desert of the Little Colorado, Arizona', 95; notice of his 'Annotated List of Birds observed in Idaho during the Summer and Fall of 1890', 385.
 Merula grayi, 274.
 migratoria, 106, 107, 109, 138, 166, 195, 197, 300, 317, 391.
 migratoria propinqua, 397.
 Micropogon fuliginosus, 8.
 Micropternus badius, 8.
 Miller, G. S., Jr., further Cape Cod notes, 117; the first plumage of *Otocoris alpestris strigata* Hensh., 314.
 Milvago chimachima, 161.
 Mimocichla ardesiacea, 217, 218.
 ardesiaca albiventris, 317.
 albiventris, 317.
 plumbea, 66, 294, 298, 333, 335, 336, 350, 351, 387.
 rubripes, 189, 300, 387.
 verrillorum, 217, 317.
 Mimus dominicus, 45.
 elegans, 45, 333.
 gundlachi, 67, 295, 297, 298, 335-339, 351.
 orpheus, 44, 45.
 orpheus dominicus, 45.
 polyglottos, 45, 46, 66, 109, 117, 119, 120, 138, 395.
 polyglottos cubanensis, 45.
 polyglottos elegans, 298, 333, 351.
 polyglottos orpheus, 45, 294-296, 298, 350.
 polyglottos portoricensis, 46.
 Minor ornithological publications, 106, 387.
 Minot, H. D., death of, 121.
 Mniotilta varia, 47, 48, 67, 69, 127, 138, 262, 277, 294-296, 298, 331, 335-338.
 Mockingbird, 66, 117, 120, 332, 395.
 Molothrus æneus, 345.
 armenti, 345.
 ater, 138, 197, 239, 345.
 ater obscurus, 345.
 atronitens, 344-346.
 badius, 345.
 bonariensis, 344, 345, 347.
 cabanisii, 345, 346.
 cassini, 344, 346.
 discolor, 344, 346, 347.
 fringillarius, 345.
 maxillaris, 346.
 niger, 345.
 purpurascens, 345, 347.
 robustus, 345.
 rufoaxillaris, 345.
 sericeus, 345.
 venezuelis, 345, 347.
 Momotus nattereri, 158.
 Monasa morpheus, 158.
 nigrifrons, 159.
 Morris, R. O., the Mockingbird at Springfield, Massachusetts, 117; see also Colburn, W. W.
 Motacilla bananivora, 38.
 Murre, Brünnich's, 307.

- Myiarchus berlepschii*, 48.
 crinitus, 135, 138, 328.
 lucaysiensis, 72.
 sagrae, 72, 190, 294, 295, 297,
 298, 334, 335, 339, 350, 351.
Myiodynastes luteiventris, 272.
Myrmeciza immaculata, 191-193.
 immaculata occidentalis, 191-
 193.
Myrmotherula axillaris, 28.
 axillaris melanogastra, 28.
 cinereiventris, 29.
Myrtha sumatrana, 12.
NASICA longirostris, 27.
 Nelson, E. W., Scott's Oriole (*Icterus parisorum*) in central New Mexico, 237.
 Nelson, J., notice of his catalogue of the birds of New Jersey, 104.
 Nicholson, F., notice of his translation of Sundevall's 'Tentamen', 227.
 Nighthawk, Cuban, 72.
 Nightingale, 333.
 Noddy, 79, 358, 361.
Nomonyx dominicus, 364.
Nonpareil 293, 395.
 Northrop, J. L., the birds of Andros Island, Bahamas, 64; death of, 400.
Numenius borealis, 21, 22, 24.
 hudsonicus, 339.
Nuthatch, Brown-headed, 108, 173.
 Florida White-breasted, 87.
 Red-bellied, 151.
 Red-breasted, 106, 173.
 St. Lucas, 149.
 White-bellied, 387.
 White-breasted, 106, 110, 173, 333.
Nyctala acadica, 107, 313.
Nyctea nyctea, 55, 110, 392.
Nycticorax nycticorax naevius, 66, 78, 137, 335.
 violaceus, 47, 48, 78, 132, 137, 190, 295, 339, 351.
Nyctidromus albigollis, 30.
Nyctiornis amicta, 11.
OCEANITES oceanicus, 357.
Oceanodroma leucorhoa, 119, 244.
 socorroensis, 305.
Odontophorus guianensis, 162.
Oidemia americana, 279-290.
 deglandi, 279-290.
 perspicillata, 279-290, 364.
Olor americanus, 232.
 paloregonus, 367.
Opisthocomus cristatus, 162.
 Oriole, Baltimore, 197.
 Northrop's, 71.
 Scott's, 237, 238.
Ortalia motmot, 162.
Ortalis vetula mcalli, 390.
Orthorhynchus boothi, 187.
Ortyx cubanensis, 190.
 Osprey, 106.
Otocoris alpestris, 57, 91, 385.
 alpestris adusta, 84, 85.
 alpestris arenicola, 91.
 alpestris chrysolaema, 91.
 alpestris giraudi, 91.
 alpestris insularis, 89, 305.
 alpestris leucolaema, 91.
 alpestris merrilli, 85, 314.
 alpestris pallida, 85, 305.
 alpestris peregrina, 91.
 alpestris praticola, 51-53, 56, 91, 109, 110, 236, 314, 389, 395.
 alpestris rubea, 91.
 alpestris strigata, 91, 314.
 'Ottawa Naturalist', notice of a paper in, 303.
 Ovenbird, 68, 171, 332.
 Owl, Acadian, 313.
 Aiken's Screech, 139.
 American Barn, 75, 114, 386.
 American Hawk, 107.
 American Long-eared, 108.
 Barred, 108, 130, 265.
 Burrowing, 75, 109.
 Florida Mottled, 387.
 Great Gray, 313.
 Great Horned, 109.
 MacFarlane's Screech, 140.
 Mottled, 387.
 Puget Sound Screech, 141.
 Rocky Mountain Screech, 109.
 Screech, 266.
 Snowy, 55, 110, 392.
 Oystercatcher, American, 76.
PACHYRHAMPHUS atricapillus, 25.
 cinereus, 25.
 rufus, 25.
 Packard, A. S., occurrence of the Groove-billed Ani at Jupiter Inlet, Florida, 313.
Palæornis longicauda, 12.
Palaetrix gilli, 367.
 Palmer, W., notice of his paper on birds observed during the cruise of the 'Grampus', 305.
Pandion haliaetus carolinensis, 106, 132, 137, 165, 236, 297, 351.

- Park, A. F., *Strix pratincola* again near Troy, N. Y., 114.
 Paroquet, Carolina, 174, 369.
 Parrot, Cuban, 293.
 Partridge, 326.
 Parus atricapillus, 165.
 bicolor, 127, 138, 152, 333.
 carolinensis, 138, 152, 153, 333.
 meridionalis, 90.
 rufescens, 397.
 Passer domesticus, 50, 103, 110, 116, 387-389, 391, 392, 395.
 Passerella iliaca, 105.
 Passerina ciris, 293-295, 395.
 cyanea, 329, 337.
 discolor, 344, 346, 347.
 Patagionas corensis, 190.
 Pediocetes lucasi, 367.
 nanus, 367.
 phasianellus columbianus, 367.
 Pelecanus erythrorhynchus, 366.
 fuscus, 46, 79, 107, 133, 137, 190, 231, 233, 293, 295, 296, 363.
 Pelican, Brown, 79, 107, 133, 231, 233, 293, 363.
 Frigate, 233.
 Pelzeln, A. v., death of, 400.
 Perdix charltoni, 15.
 Perisoreus canadensis, 165, 391.
 obscurus, 397.
 Petrel, Jamaica, 355.
 Wilson's, 357.
 Petrochelidon fulva, 86, 87.
 lunifrons, 110, 166.
 Peucea aestivalis, 128, 138.
 aestivalis bachmanii, 51, 168.
 Pewee, Bahaman Wood, 72.
 Large-billed Wood, 144.
 Wood, 166, 328.
 Phaethon aethereus, 256, 362.
 flavirostris, 47, 249, 293, 294, 335, 351, 362.
 Phaethusa magnirostris, 163.
 Phalacrocorax bicristatus, 101.
 dilophus, 107.
 dilophus floridanus, 79, 133, 137, 233, 337.
 macropus, 366.
 mexicanus, 337.
 pelagicus, 101.
 Phalarope, Northern, 113, 240, 310.
 Red, 113, 120, 233.
 Wilson's, 108.
 Phalaropus lobatus, 113, 119, 120, 240, 310, 367.
 tricolor, 108, 120.
 Pheasant, 326.
 Pheasant, Chinese, 389.
 Philohela minor, 386-391.
 Philydor erythrocercus, 26.
 Phlogopsis bowmani, 29, 30.
 Phlogothraupis sanguinolenta, 63.
 Phæbe, 328.
 Phœnicophæus erythrognaethus, 11.
 javanicus, 11.
 Phœnicopterus copei, 367.
 ruber, 78, 365, 386.
 Phœopicus badius, 8.
 pectoralis, 8.
 Piaya cayana pallescens, 159.
 minuta, 159.
 Pica pica hudsonica, 107.
 Picoides americanus dorsalis, 94.
 arcticus, 165, 385.
 Picolaptes layardi, 27.
 rikeri, 26.
 Picumnus cirratus, 30.
 micromegax, 93.
 Picus badius, 8.
 citrinus, 31.
 flavicans, 31.
 flavus, 93.
 guttatus, 30, 31.
 insularis, 334.
 javensis, 7.
 major, 94.
 major japonicus, 100.
 malaccensis, 7.
 martius, 95.
 melanopogon, 94.
 mentalis, 7.
 noguchii, 93.
 pileatus, 95.
 pubescens, 94.
 tukki, 8.
 validus, 7.
 Pigeon, White-crowned, 76.
 White-headed, 71.
 Wild, 310, 390, 391.
 Pinicola enucleator, 302.
 Pintail, 364.
 Pionopsitta brachyura, 160.
 Pionus menstruus, 160.
 violaceus, 160.
 Pipile cunjubi, 162.
 cumanensis, 162.
 Pipilo consobrinus, 220, 222.
 erythrophthalmus, 108, 127, 138, 152, 197, 220, 222, 327, 329.
 erythrophthalmus alleni, 128, 138.
 maculatus, 147.
 maculatus magnirostris, 146.
 maculatus megalonyx, 147, 220, 222.

- Pipra aureola flaviceps*, 24.
 rubricapilla, 25.
Piranga erythromelas, 36, 47, 329.
 rubra, 70, 135, 138, 315, 329.
Pitangus bahamensis, 71, 294, 298.
 334, 335, 350.
Pitta nympa, 100.
Plantus impennis, 174, 306, 388.
Plegadis guarauna, 112.
Ploceus baya, 92.
 philippinus, 92.
Plover, American Golden, 17.
 Black-bellied, 76.
 Killdeer, 76, 107.
 Wilson's, 76.
Podilymbus carolinensis, 353.
 podiceps, 46, 137, 294, 353, 366.
Poling, O. C., Groove-billed Ani (*Crotophaga sulcirostris*) in Arizona, 313.
Poliophtila caerulea, 127, 138, 152, 295-298, 334, 350, 351.
 caerulea, caesiogaster, 67, 334, 335.
Polyborus cheriway, 161.
 lutosus, 219, 221.
 tharus, 219.
Poocetes gramineus, 225.
Porzana carolina, 134, 151.
 cayennensis, 163.
 corniculatus, 89.
 jamaicensis, 55.
 jamaicensis corniculatus, 89.
 noveboracensis, 55.
Praeger, W. V., protective coloration in the genus Aegialitis, 236.
Procellaria jamaicensis, 355.
Progne dominicensis, 47, 48, 294, subis, 138.
Protonotaria citrea, 132, 135, 138, 278.
Psilorhinus cyanogenys, 304.
 mexicanus, 304.
 morio, 304.
 vociferus, 304.
Psittacula cyanochlora, 160.
 deliciosa, 160.
Psittacus galgulus, 12.
 longicauda, 15.
 subcaeruleus, 188.
Pterodroma caribbaea, 355.
Pteroglossus aracari, 159.
 bitorquatus, 159.
 inscriptus, 159.
 weidi, 159.
Ptilopus jambu, 14.
Publications received, 110, 230, 306, 392.
- Puffinus auduboni*, 387.
 auricularis, 305.
Pulsatrix torquata, 160.
Pyrrhulagra violacea, 334-337.
- QUAIL, 388-392.
 Cuban, 292.
 Quail-dove, Blue-headed, 292.
Querula cruenta, 25.
Quiscalus guadeloupensis, 49.
 gundlachi, 190.
 major, 132, 138.
 quiscula, 167, 195, 197.
 quiscula aeneus, 51, 52, 167, 385.
 quiscula aglaeus, 138.
- RAGSDALE, G. H., the breeding range of the Sparrow Hawk (*Falco sparverius*) in Texas, 312.
- Rail, Bahaman*, 77.
 Black, 55.
 Carolina, 134, 151.
 Clapper, 133.
 Scott's, 135.
 Yellow, 55.
Rallina fasciata, 16.
Rallus coryi, 77, 294, 295, 386.
 crepitans, 136.
 crepitans saturatus, 136.
 fasciata, 16.
 scottii, 133, 135, 137.
 virginianus, 137, 164.
Ramphocelus costaricensis, 62-64.
 passerini, 63, 64.
- Raven*, 328, 391.
Redbird, 329.
Redhead, 364.
Redshank, 360.
Redstart, American, 69, 172, 399.
Regulus calendula, 105, 127, 138, 152, 165, 166.
 satrapa, 105, 137, 138, 165, 197.
 satrapa olivaceus, 397.
- Rhamphastos ariel*, 159.
 erythrorhynchus, 159.
Rhamphococcyx erythronathus, 11.
- Rhegmatorhina gymnops*, 29.
Rhinortha chlorophaea, 11.
Rhoads, S. N., the Wild Pigeon, (*Ectopistes migratorius*) on the Pacific coast, 310.
Rhodostethia rosea, 300.
Rhopodytes erythronathus, 11.
Rhototerpe torquata, 29.
Ricebird, 169.

- Richmond, C. W., Barrow's Golden-eye (*Glaucionetta islandica*) near Washington, D. C., 112.
- Ridgway, R., *Falco dominicensis* Gmel. versus *Falco sparveriioides* Vig., 113; a new name necessary for *Selasphorus floresii* Gould, 114; note on the alleged occurrence of *Trochilus heloisa* (Less. & De Latt.) within North American limits, 115; *Cistothorus merianæ*, *Buteo lineatus alleni*, and *Syrnium nebulosum alleni* in South Carolina, 240; list of birds collected on the Bahama Islands by the naturalists of the Fish Commission steamer 'Albatross,' 333.
- Riker, C. B., a list of birds observed at Santarem, Brazil, with annotations by F. M. Chapman, 24, 158.
- Rives, W. C., notice of his 'Catalogue of the Birds of the Virginias,' 105.
- Robin, 106, 107, 166, 197, 317, 391.
Oregon, 396.
Varied, 396.
Western, 397.
- Rolulus roulroul, 15.
- Rostrhamus sociabilis, 161.
- Rupornis magnirostris, 160.
magnirostris nattereri, 160.
- SAGE, J. H., *Ammodramus caudatus nelsoni* and *A. c. subvirgatus* in Connecticut, 115.
- Salpinctes guadalupensis, 221, 222.
obsoletus, 222.
- Saltator guadeloupensis, 49.
- Sandbird, 77.
- Sandpiper, Baird's, 240.
Bartramian, 24.
Purple, 289.
Solitary, 236.
Spotted, 77, 166, 394.
Western Solitary, 84.
- Sapsucker, Williamson's, 108.
Yellow-bellied, 75.
- Sasia everetti, 93.
- Saurothera bahamensis, 74, 294, 336, 351.
merlini, 190.
- Sayornis phæbe, 138, 328.
- Scenopæetes dentirostris, 115.
- Scolecophagus affinis, 368.
carolinus, 138, 320.
cyanocephalus, 50-52, 167.
sericeus, 345.
- Scoter, American, 279-290.
Surf, 215, 279-290, 364.
White-winged, 279-290.
- Scotiaptex cinerea, 313.
- Scott, W. E. D., observations on the birds of Jamaica, West Indies.
I. Notes on the habits of the Yellow-billed Tropic Bird (*Phaethon flavirostris*), 249; notes on the nest and habits of Cory's Bittern (*Botaurus neoxenus*), 309; Florida Heron rookeries, 318; observations on the birds of Jamaica, West Indies. II. A list of the birds recorded from the Island, with annotations, 353.
- Seebohm, H., notice of his 'Birds of the Japanese Empire,' 99.
- Seiurus aurocapillus, 68, 138, 165, 171, 294-298, 332, 334-338, 351.
motacilla, 108, 138, 172, 295, 296, 332, 385.
noveboracensis, 48, 49, 105, 165, 172, 294, 295, 298, 320, 334, 337, 351, 352.
noveboracensis notabilis, 51-53, 135, 138, 171.
- Selasphorus floresii, 114.
rubromitratus, 114.
- Selenidera gouldi, 159.
maculirostris, 159.
- Setophaga ruticilla, 47-49, 69, 135, 138, 172, 294-296, 335, 338, 351, 352, 399.
- Sharpe, R. B., notice of his Catalogue of the Sturniformes, 90; notice of his 'Review of Recent Attempts to Classify Birds,' 379.
- Shearwater, Audubon's, 387.
- Shoveller, 364.
- Shrike, Loggerhead, 128.
White-rumped, 106, 107.
- Shufeldt, R. W., a peculiar character referable to the base of the skull in *Pandion*, 236; camera notes for ornithologists, 240; a female *Piranga rubra* assuming the plumage of the male, 315; tertiary fossils of North American birds, 365.
- Sialia sialis, 109, 110, 128, 138, 195, 197, 239, 333.
- Siskin, Pine, 137.
- Sitta cæsia, 100.
canadensis, 106, 151, 173.
carolinensis, 106, 110, 173, 333, 387.
carolinensis aculeata, 149.

- Sitta carolinensis atkinsi*, 87, 138.
carolinensis laguna, 149.
pusilla, 108, 138, 173, 350.
 Skylark, 389.
 Snowbird, 166, 197.
Somateria v-nigra, 320.
 Sparrow, Bachman's, 168.
 Chipping, 197, 328, 387.
 English, 50, 103, 116, 387-389, 391, 395.
 Field, 329.
 Grasshopper, 167.
 Gray Sage, 86.
 Leconte's, 168.
 Pine-woods, 128.
 San Clemente Song, 86.
 Santa Barbara Song, 86.
 Savanna, 197.
 Song, 197.
 Swamp, 133.
 Western Henslow's, 145.
 Western Yellow-winged, 108.
 Yellow-winged, 108.
Spatula clypeata, 137, 190, 364, 366.
Speotyto amaura, 47, 349.
 cunicularia bahamensis, 348, 349, 351.
 cunicularia dominicensis, 75, 349.
 cunicularia floridana, 349, 350, 352.
 cunicularia hypogaea, 109.
 guadeloupensis, 349.
 rostrata, 305.
Sphyrapicus thyroideus, 108.
 varius, 75, 138, 165, 166, 256, 294-297, 338, 399.
Spilornis pallidus, 13.
Spindalis zena, 70, 294, 295, 335-337, 339.
 zena stejnegeri, 348, 351.
 zena townsendi, 298, 334, 350.
Spinus pinus, 137, 138, 165.
 tristis, 127, 138, 328.
 tristis pallidus, 89.
Spiza americana, 116, 168, 245, 395.
Spizaetus manduylti, 161.
Spizella pusilla, 329.
 pusilla arenacea, 318.
 socialis, 165, 197, 225, 328, 387.
Sporadinus bracei, 300.
 ricordi, 73, 74, 188, 298, 300, 334, 350, 387.
Starnænas cyanocephala, 190, 293.
Stelgidopteryx serripennis, 387.
Sterna anathetus, 48, 80, 360.
Sterna antillarum, 46, 48, 80, 351, 352, 362, 387.
 dougalli, 46, 48, 351, 362.
 elegans, 362, 366.
 fluvialis, 319.
 forsteri, 366.
 fuliginosa, 80, 352, 358, 361.
 hirundo, 166, 319, 342, 362.
 macrura, 319.
 maxima, 80, 295, 296, 351, 362.
 paradisæa, 166, 319.
 sandvicensis aculavida, 46, 351, 362.
 tschegrava, 362.
 Stilt, Black-necked, 76.
 Stone, W., bird waves and their graphic representation, 194; work of the Delaware Valley Ornithological Club during 1890, 244; notice of his 'Birds collected in Yucatan and Southern Mexico,' 303; notice of his 'Catalogue of the Owls in the Collection of the Academy of Natural Sciences of Philadelphia,' 303; notice of his paper on the genus *Psittorhinus*, 304; a revision of the species of *Molothrus* allied to *M. bonariensis* (Gm.), 344.
Strix ceylonensis, 12.
 ketupa, 12.
 pratincola, 75, 114, 245, 294, 386.
Sturnella hippocrepis, 189, 292-294.
 magna, 197.
 magna mexicana, 138.
Sula bassana, 386, 387.
 coryi, 386, 387.
 cyanops, 363, 386.
 leucogastra, 339.
 piscator, 362.
 sula, 361, 363, 386.
Surnia ulula caparoch, 107.
 Swallow, Bahaman, 70, 87.
 Bank, 132, 197.
 Barn, 197.
 Cuban Cliff, 87.
 Eave, 166.
 Rough-winged, 387.
 White-bellied, 132, 387.
 Swallow, C. W., bird notes from Clatsop County, Oregon, 396.
 Swan, Whistling, 232.
 Swift, Chimney, 197, 328.
 Switching-neck, 77.
Sylvania canadensis, 172, 399.
 mitrata, 107, 135, 138, 172, 332, 399.
Sylvania pusilla, 165, 172.

- Symphemia semipalmata*, 47, 76, 133, 137, 297, 351.
Synallaxis cinnamomea, 26.
 guianensis, 26.
 mustelina, 26.
 rutilans, 26.
Syrnium myrtha, 12.
 nebulosum, 108, 265.
 nebulosum alleni, 130, 137, 240.

TACHYCINETA *bicolor*, 132, 138, 387.
Tanager, Scarlet, 36, 329.
 Summer, 70, 329.
Tanagra bonariensis, 345.
Teal, Blue-winged, 364, 389.
 Green-winged, 364.
Tern, Black, 360.
 Bridled, 80, 360.
 Cabot's, 362.
 Common, 342, 362.
 Least, 80, 362, 387.
 Roseate, 362.
 Royal, 80, 362.
 Sooty, 80, 358, 360.
Thalurania furcatoides, 30.
 glaucoptis, 30.
Thamnophilus ambiguus, 28.
 inornatus, 28.
 luctuosus, 28.
 melanurus, 28.
 nævius, 28.
 nigrocinereus, 28.
 radiatus nigricristatus, 28.
 rufater, 29.
 simplex, 28.
Thompson, D'A. W., notice of his paper on the systematic position of *Hesperornis*, 304.
Thompson, E. E., notice of his 'Birds of Manitoba,' 301.
Thrasher, 333.
 Blue, 66.
 Brown, 32, 66, 127, 197, 333.
Thriponax javensis, 7, 8.
Thrush, Bicknell's, 173.
 Brown, 32, 152.
 Gray-cheeked, 151, 173.
 Hermit, 197.
 Plumbeous, 387.
 Red-legged, 387.
 Willow, 173.
 Wood, 197, 333.
Thryophilus modestus, 275.
Thryothorus bewickii, 172, 245, 333.
 guadeloupensis, 49.
 ludovicianus, 106, 127, 138, 152, 333.
Tigrisoma brasiliense, 161.
Tinamus guttatus, 163.
 tao, 163.
Tit, Tufted, 127.
Titmouse, Carolina, 152.
 Tufted, 152, 153, 333.
Tityra albitorques, 25.
 cayana, 25.
 semifasciata, 25.
Todd, W. E. C., breeding of *Dendroica maculosa* in Western Pennsylvania, 116; breeding of *Totanus solitarius* and *Otocoris alpestris praticola* in Western Pennsylvania, 236; nesting of the Cerulean Warbler (*Dendroica cerulea*) in Beaver County, Pennsylvania, 238; notes on the occurrence of uncommon species at Beaver, Pa., 240; further note on *Otocoris alpestris praticola*, 395; notes on the Mnioiltidae of western Pennsylvania, 397.
Tomtit, 333.
Torrey, B., the Bluebird wintering near Boston, 239.
Totanus flavipes, 47, 48, 119, 164, 337, 338, 350, 394.
 melanoleucus, 47, 119, 133, 137.
 solitarius, 48, 137, 236.
 solitarius cinnamomeus, 48.
Towhee, 108, 152, 197, 327, 329.
 Mountain, 146.
 Red-eyed, 127.
 White-eyed, 128.
Townsend, C. H., notice of his paper 'Birds from the Coasts of Western North America and adjacent Islands,' etc., 305.
Treat, W. E., *Anas crecca* in Connecticut, 112.
Treron nasica, 13.
 olax, 13.
Tringa bairdii, 240.
 maculata, 48.
 maritima, 289.
 minutilla, 48, 164, 190, 351.
Tringoides macularis, 163.
Trochilus caliope, 88, 115.
 colubris, 109, 138, 257-268, 270, 328, 389.
 floresii, 114.
 heloisa, 88, 115.
 rubromitratus, 114.
Troglodytes ædon, 173.
 hiemalis, 105, 137, 138.
 hiemalis pacificus, 397.
 intermedius, 275.
 tanneri, 305.

- Trogon melanurus*, 158.
 meridionalis, 158.
 viridis, 158.
Tryngites subruficollis, 300.
Turdus aliciae, 151, 173.
 aliciae bicknelli, 173, 352.
 aonalschkae pallasii, 109,
 138, 196, 197, 300.
 densirostris, 43.
 dominicus, 45.
 fuscatus, 43.
 fuscescens, 109, 274, 300.
 fuscescens salicicolus, 173.
 herminieri, 43.
 montanus, 42.
 mustelinus, 109, 196, 197, 333,
 335.
 orpheus, 45.
 ustulatus swainsonii, 109,
 165, 274, 300.
 Turkey, 391.
 Water, 129.
 Wild, 136, 327.
Turtur douraca torquatus, 99.
 humilis, 101.
 risorius, 101.
Tympanuchus americanus, 110,
 388, 390, 391.
 pallidicinctus, 367.
Tyrannula musica, 89.
Tyrannus dominicensis, 46-49, 72,
 296, 339, 350-352.
 magnirostris, 297.
 tyrannus, 109, 135, 138, 197.

URIA lomvia, 244, 307.
Urinator imber, 55, 165, 389, 392.
 lumme, 55.
Urubitinga anthracina, 272.
 urubitinga, 161.

VANELLUS cayennensis, 163.
Vireo alleni, 336.
 atiloquus barbatulus, 69, 70,
 90, 296, 298, 335, 351.
 approximans, 336.
 bellii, 107.
 calidris, 47-49.
 crassirostris, 70, 294-298, 334-
 336, 338, 350, 351.
 crassirostris flavescens, 336,
 338, 339.
 flavifrons, 127, 135, 138, 329.
 noveboracensis, 138.
 olivaceus, 127, 135, 138, 152,
 165, 166, 263, 329.
 solitarius, 127, 138, 152, 165,
 169.
 solitarius alticola, 169, 329.

 Vireo solitarius lucasanus, 147.
 vicinior californicus, 89.
 Vireo, Bell's, 107.
 Black-whiskered, 70.
 Blue-headed, 159.
 Large-billed, 70.
 Mountain Solitary, 329.
 Red-eyed, 127, 152, 166, 263,
 329.
 St. Lucas Solitary, 147.
 Solitary, 127, 152.
 Yellow-throated, 127, 329.
 Vulture, Black, 129.
 Turkey, 327, 394.

 WARBLER, Antillean Yellow, 68.
 Arrow-headed, 387.
 Bachman's, 126, 127, 149, 316.
 Bay-breasted, 170, 398.
 Black-and-white, 67, 69, 262,
 331.
 Black-and-yellow, 398.
 Blackburnian, 170, 398.
 Blackpoll, 68, 108, 352.
 Black-throated Blue, 68, 69,
 398.
 Black-throated Green, 171,
 331, 398.
 Blue-winged, 169.
 Blue-winged Yellow, 109,
 398.
 Blue Yellow-backed, 69.
 Canadian, 172, 399.
 Cape May, 68, 170, 398.
 Cerulean, 170, 238, 398.
 Chestnut-sided, 170, 327, 331,
 398.
 Connecticut, 151, 172.
 Dusky, 87.
 Golden-winged, 170, 331,
 397.
 Hooded, 107, 172, 332, 399.
 Kentucky, 106, 172, 332, 398.
 Kirtland's, 171.
 Magnolia, 116, 166, 170.
 Mourning, 240, 396, 398.
 Myrtle, 166, 197.
 Orange-crowned, 127, 152,
 170.
 Palm, 68, 128, 152, 171.
 Parula, 67, 127, 132, 152-155,
 331, 398.
 Pine, 68, 128, 173, 199, 332.
 Prairie, 68, 152, 317, 398.
 Prothonotary, 132.
 Swainson's, 137, 169.
 Sycamore, 116, 171.
 Tennessee, 151, 170, 398.
 Wilson's, 172.

- Warbler, Worm-eating, 169, 316.
 331, 387, 397.
 Yellow, 166.
 Yellow Palm, 128, 396.
 Yellow-rumped, 127, 152.
 Yellow-throated, 127, 132, 152.
- Warren, B. H., notice of his revised 'Report on the Birds of Pennsylvania', 101.
- Water-thrush, Grinnell's, 171.
 Large-billed, 188.
 Louisiana, 188, 172, 332.
- Waxwing, Bohemian, 386.
 Cedar, 329, 395.
- Wayne, A. T., the Green Heron (*Ardea virescens*) wintering in South Carolina, 232; Marian's Marsh Wren (*Cistothorus marianæ*) on the coast of South Carolina, 239; the Sandhill Crane (*Grus mexicana*) in South Carolina, 308; an abnormal specimen of the Nonpareil (*Passerina ciris*), 395.
- Whippoorwill, 33.
- Whiskey Jack, 391.
- White, G. R., *Coccyzus americanus* breeding at Ottawa, 114.
- White, H. G., migration of the Red Phalarope (*Crymophilus fulicarius*) 233.
- Willet, 76, 133.
- Wintle, E. D., Yellow Palm Warbler (*Dendroica palmarum hypochrysea*), 396.
- Woodcock, 386-391.
- Woodpecker, Bahaman Hairy, 75.
 Downy, 262, 327.
 Imperial, 175.
- Woodpecker Ivory-billed, 136, 174.
 Pileated, 95, 127, 327.
 Red-bellied, 127.
 Red-cockaded, 128.
 Red-headed, 56.
 Southern Hairy, 327.
 Yellow-bellied, 166, 256.
- Woodstar, Bahama, 73, 387.
- Worthington, W. W., Golden Eagle at Shelter, Island, New York, 113.
- Wren, Bewick's, 172, 333.
 Carolina, 106, 127, 152, 333.
 House, 173.
 Long-billed Marsh, 133, 239.
 Marian's Marsh, 239.
 Short-billed Marsh, 133, 173.
 Winter, 137.
- XANTHOLEMA duvaucelii, 8.
 Xanthornus purpurascens, 347.
 Xema furcata, 88.
 sabinii, 300, 320, 366.
- Xiphidiopicus procussus, 189.
- Xylolepes validus, 7.
- YELLOWLEGS, 394.
 Greater, 133.
- Yellowthroat, Maryland, 69, 197.
 Nassau, 68.
- ZANCLOSTOMUS javanicus, 11.
- Zebrilus pumilus, 161.
- Zenaida jessicæ, 162.
 martinicana, 48.
 zenaida, 47, 76, 292, 297, 336-338, 351, 352.
- Zenaidura clarionensis, 305.
 macroura, 137, 190, 309, 350, 390.

ERRATA.

- Page 120, line 14, for November 20 read November 2.
- | | | | |
|--------|-------|-----------------|------------------|
| " 162, | " 28, | " erythorothrax | " erythorothrax. |
| " 162, | " 34, | " Pipilo | " Pipile. |
| " 222, | " 8, | after maculatus | " megalonyx. |
| " 320, | " 25, | for Zema | " Xema. |
| " 354, | " 26, | " dominicensis | " dominicus. |